

Page 1 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.2

MSDS Revision Date: 02/24/2011

	1. PRODUCT IDENTIFICATION							
1.1	Product Name:							
	BRAZILIAN BLOWOUT ZERO PROFESSIONAL SMOOTHING SOLUTION							
1.2	Chemical Name:							
	NA							
1.3	Synonyms:							
	NA							
1.4	Trade Names:							
	Brazilian Blowout Zero Professional Smoothing Solution							
1.5	Product Use:							
	PROFESSIONAL USE ONLY							
1.6	Distributor's Name: Brazilian Blowout							
1.7	Distributor's Address:							
	6855 Tujunga Ave., North Hollywood, CA 91605							
1.8	Emergency Phone:							
	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887							
1.9	Business Phone:							
	+1-818-232-8775 / +1-877-779-7706							
	2. HAZARD IDENTIFICATION							
2.1	Hazard Identification:							
	This product is NOT classified as a HAZARDOUS SUBSTANCE or as DANGEROUS GOODS according to the classification criteria of [NOHSC:							
	1008 (2004)] and ADG Code (Australia). In case of eye contact, rinse immediately with water. For external use only. Keep out of reach							
2.2	of children. Use only as directed. Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES							
2.2	Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES Effects of Exposure:							
2.3	INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.							
	EYES: Direct contact may cause mild irritation. Symptoms of overexposure may include redness, itching, irritation and							
	watering.							
	SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive							
	individuals.							
	INHALATION: Inhalation irritation is unlikely, however, vapors of this product may be slightly irritating to some sensitive individuals.							
2.4	Symptoms of Overexposure:							
	Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and							
	irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Inhalation irritation is unlikely, however, vapors of this product may be slightly irritating to some sensitive individuals, may cause short							
	term respiratory irritation, coughing, wheezing and sore throat.							
2.5	Acute Health Effects:							
	Moderate irritation to eyes.							
2.6	Chronic Health Effects:							
	No harmful or chronic health effects are expected to occur from a single accidental ingestion. Repeated or prolonged skin contact							
0 -	with product may cause an allergic reaction in some individuals.							
2.7	with product may cause an allergic reaction in some individuals. Target Organs:							
2.7	with product may cause an allergic reaction in some individuals.							
	with product may cause an allergic reaction in some individuals. Target Organs:							

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Addition NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.



Page 2 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.2

		3. COM	APOSITIO	N & ING	REDIEN	IT INF	FORN							
							<u></u>		SURE LI		N AIR (r
							GIH pm		NOHSC ppm	•		OSHA ppm	۱ <u> </u>	OTHER
				EINECS				ES-	ES-	ES-				
	CHEMICAL NAME(S)	CAS No.	RTECS No.	No.	%	TLV	STEL	TWA	STEL	PEAK	TLV	STEL	IDLH	
WATE	R/AQUA / EAU	7732-18-5	ZC0110000	231-791-2	30-100	NA	NA	NF	NF	NF	NA	NA	NA	
PHEN	YL TRIMETHICONE	73559-47-4	NA	NA	3.0-10.0	NA	NA	NF	NF	NF	NA	NA	NA	
сүсі	OPENTASILOXANE	541-02-6	GY5945200	208-761-9	3.0-10.0	NA	NA	NF	NF	NF	NA	NA	NA	
CAPR	XYLIC/CAPRIC TRIGLYCERIDE	73398-61-5	NA	277-452-2	3.0-10.0	NA	NA	NF	NF	NF	NA	NA	NA	
PARA OIL)	FFINUM LIQUIDUM (MINERAL	8012-95-1	GZ8725550	232-384-2	3.0-10.0	(5)	NA	(5)	NF	NF	(5)	NA	NA	MIST
		79-14-1	MC5250000	201-180-5	1.0-3.0	NA	NA	NF	NF	NF	NA	NA	NA	
PEG-4 OIL	40 HYDROGENATED CASTOR	61788-85-0	NA	NA	1.0-3.0	NA	NA	NF	NF	NF	NA	NA	NA	
BEHE	NTRIMONIUM METHOSULFATE	81646-13-1	NA	279-791-1	1.0-3.0	NA	NA	NF	NF	NF	NA	NA	NA	
CETY	L ALCOHOL	36653-82-4	MM0225000	253-149-0	1.0-3.0	NA	NA	NF	NF	NF	NA	NA	NA	
BUTYI	LENE GLYCOL	107-88-0	EK0440000	203-529-7	1.0-3.0	NA	NA	NF	NF	NF	NA	NA	NA	
POLY	QUATERNIUM-37	26161-33-1	KQ630000	NA	1.0-3.0	NA	NA	NF	NF	NF	NA	NA	NA	
FRAG	RANCE (PARFUM)	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
	YL BENZOATE	120-51-4	DG420000	204-402-9	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
limo	NENE	5989-57-5	GW636000	227-813-5	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
	.00L	78-70-6	RG5775000	201-134-4	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGE
OTHE	R COMPONENTS PRESENT IN LI	ESS THAN 1% C	ONCENTRATIO	NC	BAL			NG CO				IOT C	ONTR	IBUTE AN
			4. F	RST AID	MEAS	URES								
4.1	telephone n keep victim EYES: If product ge open to ense SKIN: Remove con attention. D	UCE VOMITING umber for assi s head lowere ets in the eyes ure complete f ntaminated clo o not wear con ed to cause irri	stance and in ed (forward) to , flush eyes th lushing. If irrit othing and wo ntaminated cl	structions. reduce the noroughly w ation persist ash affected othing until	Seek imm e risk of as ith copiou ts, seek m I areas wi after it ha	nediate piratior us amo nedical th soap s been	medic n. ounts of attentic and w proper	al atter water f on. vater. li ly clea	ntion. ior at le f irritati ned.	lf vom east 1	iting o 5 minu	ccurs ites, h	spont olding	aneously eyelid(s
4.2	Medical Conditions Aggravated by			vieline elsis	مالم مربع مالم	ardara		HEA	LTH					1
	Pre-existing dermatitis, othe Do no use on broken skin	or irritated are	as. In some i	ndividuals c	•			FLAA	٨MA	BILIT	Y			0
	aggravate skin diseases su	ch as eczema	and contact	dermatitis.				PHYS				DS		0
							-			IVE I			=NT	A
														/ \



Page 3 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.2

		5. FIREFIGHTING MI	EASURES			
5.1	Flashpoint & Method:					
5.0	This product is not flammable.					
5.2	Autoignition Temperature:					
5.3	Flammability Limits: Low	ver Explosive Limit (LEL):	NE	Upper Explosive L	mit (UEL):	NE
5.4	Fire & Explosion Hazards: This product is not a flammable liquid. Ho decompose to form toxic gases (e.g., CO, CO		e, this produc	ct may ignite and		
5.5	Extinguishing Methods: Water Fog, Foam, Dry Chemical, CO ₂					
5.6	Firefighting Procedures:					
	As in any fire, wear MSHA/NIOSH approved so full protective gear. Keep containers cool of exposed surfaces and to protect personnel. sewers, drains, drinking water supply, or any including NIOSH-approved positive pressure potential hazardous decomposition products.	until well after the fire is ou Prevent runoff from fire c natural waterway. Firefig	t. Use water ontrol or dilu hters must us	spray to cool fire- tion from entering e full bunker gear		
	6. A	CCIDENTAL RELEAS	E MEASU	RES		
6.1	Spills:					
	Before cleaning any spill or leak, individuals ir	•			• •	
	For small spills (e.g., <1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.					
	7. HAN	DLING & STORAGE	INFORM	ATION		
7.1	Work & Hygiene Practices: Avoid eye contact. Avoid breathing vapors thoroughly after using this product and before					Wash hands
7.2						
7.3	Special Precautions: Spilled material may present a slipping hazard	l if left unattended. Clean a	ll spills promp	tly.		
	·					



Page 4 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MS

MSDS Revision: 1.2

MSDS Revision Date: 02/24/2011

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1		(e.g., local exhaust ventilation is preferred, fans, open doors and windows). Ensure appropriate available (e.g., sink, safety shower, eye-wash station).					
8.2	Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.						
8.3	Eye Protection:	sses with side shields should be used when handling large quantities (e.g., \geq 1 gallon (3.785 liters)) of					
8.4		conditions of use. However, may cause skin irritation and/or allergic sensitivity in some sensitive s being mixed, applied or handled, wear gloves made of rubber (nitrile), vinyl or other impervious					
8.5	Body Protection: No apron required when handl and deluge showers should be	ing small quantities. When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations available.					
		9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:	0.99-1.01					
9.2	Boiling Point:	NA					
9.3	Melting Point:	NA					
9.4	Evaporation Rate:	ΝΑ					
9.5	Vapor Pressure:	NA					
9.6	Molecular Weight:	NA					
9.7	Appearance & Color:	Off-white, smooth, milky, semi-viscous lotion. Citrus odor.					
9.8	Odor Threshold:	NA					
9.9	Solubility:	Dispersible					
9.10	рН	3.4-4.0					
9.11	Viscosity:	NA					
9.12	Other Information:	NA					
		10. STABILITY & REACTIVITY					
10.1	Stability: This product is stable when stored in a cool dry location out of direct sunlight and away from other sources of heat.						
10.2	Hazardous Decomposition Products: Oxides of carbon (CO, CO ₂) and sulfur (SO ₂).						
10.3	Hazardous Polymerization: Will not occur.						
10.4	Conditions to Avoid: Open flames, sparks, high heat	, direct sunlight and close proximity to incompatible substances.					
10.5	Incompatible Substances: Strong oxidizing or reducing ag	ents					
	anong onliging of reducing dy	cino.					



Page 5 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.2

	11. TOXICOLOGICAL INFORMATION				
11.1	Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document				
11.2	Acute Toxicity: See section 2.5				
11.3	Chronic Toxicity: See section 2.6				
11.4	Suspected Carcinogen: No				
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.				
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.				
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.				
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.				
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.				
11.6	Irritancy of Product: See Section 2.3				
11.7	Biological Exposure Indices: NE				
11.8	Physician Recommendations: Treat symptomatically.				
	12. ECOLOGICAL INFORMATION				
12.1	Environmental Stability:				
	When released into water, this material is not expected to evaporate significantly. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded.				
12.2	Effects on Plants & Animals:				
	There is no specific data available for this product.				
12.3	Effects on Aquatic Life:				
	There is no specific data available for this product.				
	13. DISPOSAL CONSIDERATIONS				
13.1	Waste Disposal:				
	Dispose of in accordance with federal, state and local regulations.				
13.2	Special Considerations:				
	Dispose of in accordance with federal, state and local regulations.				



Page 6 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.2

MSDS Revision Date: 02/24/2011

14. TRANSPORTATION INFORMATION

14.1	49 CFR (GND):					
	NOT REGULATED					
14.2	IATA (AIR):					
	NOT REGULATED					
14.3	IMDG (OCN):					
	NOT REGULATED					
14.4	TDGR (Canadian GND):					
	NOT REGULATED					
14.5	ADR/RID (EU):					
	NOT REGULATED					
14.6	SCT (MEXICO):					
	NOT REGULATED					
14.7	ADGR (Australia):					
	NOT REGULATED					
	15. REGULATORY INFORMATION					
15.1	U.S. EPA SARA Reporting Requirements:					
13.1	This product does not contains material subject to SARA 313 reporting requirements.					
15.2	U.S. EPA SARA Threshold Planning Quantity:					
	NA					
15.3	TSCA Inventory Status:					
	All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.					
15.4	U.S. EPA CERCLA Reportable Quantity (RQ):					
	NA					
15.5	Other U.S. Federal Requirements:					
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).					
15.6	Other Canadian Regulations:					
	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are not listed on the DSL/NDSL.					
15.7	U.S. State Regulatory Information:					
	Mineral Oil can be found on the following state right to know list: California, New Jersey (listed as Petroleum distillate (naptha)), Pennsylvania, Minnesota, and Massachusetts.					
	California Prop 65: No significant risk level; none of the chemicals in this product are listed.					
15.8	67/548/EEC (European Union) and Australia NOHSC:2011 (2003) Requirements:					
	The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.					
	HazChem Code: None allocated.					
	Poison Schedule: None allocated.					



Page 7 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.2

	16. OTHER INFORMATION				
16.1		duce vomiting; seek medical attention. Avoid eye contact. Keep out of reach of children. If ction occur, discontinue use immediately. If irritation persists, seek medical attention. FOR			
16.2	Terms & Definitions:				
	Please see last page of this MSDS.				
16.3	Disclaimer:				
	regulations must be reviewed for appl information contained herein is reliab guaranteed and no warranties of any ty	d pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government licability to this product. To the best of ShipMate's & BRAZILIAN BLOWOUT's knowledge, the le and accurate as of this date; however, accuracy, suitability or completeness are not rpe, either expressed or implied, are provided. The information contained herein relates only to s) is combined with other materials, all component properties must be considered. Data may to consult the latest edition.			
16.4	Prepared for: Brazilian Blowout 6855 Tujunga Ave. North Hollywood, CA 91605 +1-877-779-7706 Phone +1-818-232-8775 Fax http://www.brazilianblowout.com/	brazilian blowout			
16.5	Prepared by: ShipMate, Inc. P.O. Box 787 780 Buckaroo Trail, Suite D Sisters, OR 97759-0787 +1 (310) 370-3600 Phone +1 (310) 370-5700 Fax http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting			



Page 8 of 8

BB-002

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 2001/58 EC Standards MSDS Revision: 1.2 MSDS Revision Date: 02/24/2011

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following: OTHER STANDARD ABBREVIATIONS:

GENERAL INFORMATION:

	Chemical Abstract Service Number
CAS NO.	

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists			
TLV Threshold Limit Value			
OSHA	U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit			
IDLH	Immediately Dangerous to Life and Health		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation – method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
-----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------


HEALTH

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	PHYSICAL HAZARD
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:




FLAMMABILITY LIMITS IN AIR:

Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

NA	Not Available
NR	No Results
NE	Not Established
NF	Not Found
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA HAZARD RATINGS:

0	Minimal Hazard		
1	Slight Hazard		
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		
ACD	Acidic		
ALK	Alkaline		
COR	Corrosive		
W	Use No Water		
ох	Oxidizer		



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TDio	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic					
TC, TC _o , LC _{lo} , & LC _o	effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
CPR	Canada's Controlled Product Regulations					

EC INFORMATION:

V		and	*	8	X	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

WHMIS INFORMATION:

\oslash	۲	۲		1	۲		R
Α	В	С	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive